

# redE

PERFORMANCE AG PARTS



## High-Quality Seeding Solutions

Air Carts, Air Drills, Planters, Rebuild Services

# Helping farmers with their **MOST IMPORTANT PASS** of the year.



 701-205-1485  Sales@GoRedE.com  RedE-Ag.com  2700 7th Ave. N. Fargo, ND

 @GoRedE\_Ag  @GoRedE\_Ag  @GoRedE\_Ag  @RedEAg

## About Red E

Inspired by our early years on our grandpa's farm, we founded Red E to help farmers get the most from their existing equipment. Our grandpa's philosophy, "Keep what we have running in the **best condition possible**," drives us to deliver solutions that exceed those of dealers and OEMs.

We understand that **time** is your most **valuable** asset. Constantly rebuilding or buying new equipment cuts into both time and profits. That's why we offer **durable, long-term solutions** to extend the life and **enhance the performance** of your current equipment.

**We Help Farmers Keep on Farming.**

## Our Services

Selecting the right parts for your equipment can be challenging, but our team is here to assist you in choosing the best aftermarket solutions tailored to your equipment's condition and budget.

We frequently visit farmers to inspect equipment and diagnose performance issues. Our services include:

- Free on-site inspections
- Installation and rebuild services
- After-sale support

We look forward to bringing our expertise and dedication directly to your farm to address your seeding equipment needs. Our goal is to enhance your productivity, and reduce costs. If you don't find what you need in this catalog, please contact us—we are continually developing new products to meet your needs.

# FREE INSPECTIONS. TRUSTED NATIONWIDE.



SCAN TO BOOK:



## **AIR CART SOLUTIONS**

John Deere 1900, 1910, and C-Series.....	8
Case IH and Flexi-Coil with Poly Tanks.....	20
Flexi-Coil 1330 and John Deere 787.....	26
Flexi-Coil 1720/2320 and John Deere 787.....	30
Flexi-Coil 40 Series: 2230, 2340..... and New Holland SC230	34
Morris 6000, 7000, 8000, & 9000 Series.....	42
Hydraulic Drive Conversion Kits.....	50

## **NO-TILL DRILL PARTS**

John Deere 60/90 Series.....	56
John Deere 50 Series.....	66
Case IH SDX Series.....	74
Case IH PD500..... and New Holland 2000 Series	82
Bourgault & Concord/Amity.....	90

## **HORSCH SOLUTIONS**

Horsch Meter Box & Discs.....	94
-------------------------------	----

## **PLANTER SOLUTIONS**

Pro-Stitch Closing Wheels.....	100
Planter Discs, Gauge Wheels, & Misc.....	101

## **HOE DRILL & TILLAGE SOLUTIONS**

Seed Boots.....	104
Fertilizer Boots & Sweeps.....	105
Tillage Solutions.....	108
Tine & Disc Levelers.....	109

## **EQUIPMENT ACCESSORIES**

AirSeeder Hopper and Conveyor.....	110
Camera Kits & Flag Poles..... and AirGuard™ Blockage Prevention System	111

## **MISC**

YouTube.....	112
Apparel.....	114
The Red E Promise.....	116

# **CONTENTS**

**STAINLESS  
STEEL THAT  
LASTS.**

**John Deere  
1900, 1910, & C-Series  
Air Cart Parts**

**SHOP NOW**



## SSK-MH-GD

### Ground Drive Meter Housing

- For ground drive John Deere 1900 & 1910 air carts
- All stainless steel construction ensures years of trouble-free operation
- Features stainless steel half-width disconnects
- The individual row shut off option allows for control of each section individually with the pull of a lever
- Easy-open, easy-latch half-width disconnect doors
- Removable rear clean-out cover
- Includes key replacement parts, bushings, stainless hardware, and drive shaft



Parts Number	Description
SSK-MH-GD-KP	Kanpar Ground Drive Meter Housing
SSK-MH-GD-RO	Romafa Ground Drive Meter Housing
SSK-MH-GD-IR	Individual Row Shutoff Ground Drive Meter Housing

## SSK-MH-HD

### Hydraulic Drive Section Command Meter Housing

- For 2013 and newer OEM hydraulic drive John Deere 1910 and C-Series air carts that are SectionCommand ready
- All stainless steel construction ensures years of trouble-free operation
- Maintains full functionality and features of the half-width disconnects
- Easy-open, easy-latch half-width disconnect doors
- Removable rear clean-out cover
- Includes key replacement parts, bushings, stainless hardware, drive shaft, and agitator rod



Parts Number	Description
SSK-MH-HD-KP	SectionCommand Hydraulic Drive Meter Housing
SSK-MH-HD-RO	SectionCommand Hydraulic Drive Meter Housing




## SSA\*\*\*\*\*

### Red E Meter Roller

The Red E Meter Roller is an advanced upgraded design for precision, efficiency, and durability in seed and fertilizer distribution.

- Spiral design that offers superior performance compared to the OEM version
- Unlike straight-grooved OEM rollers, the spiraled roller reduces friction and wear on both the roller and the housing



## SSK-UPR

### Stainless Steel Upper Kit

This kit contains:

- All stainless steel lower ladder bracket funnel and custom fit foam funnel seal
- All stainless steel top meter mounting bracket and custom fit foam gasket seal
- All necessary stainless steel hardware



## SSK-HWD

### Half-Width Disconnect Kit

- Eliminates twisting and binding of plastic OEM half-width disconnects
- Direct replacement for OEM half-width disconnects/shut-offs
- Kit includes: left and right half-width disconnects, handles, hardware, and necessary seals



## SSK-SS\* & SSK-DS\*

### Single & Double Shoot Lower Kit

This kit includes all non-plastic parts from the bottom of the meter housing:

- Stainless steel manifold bracket and gasket seals
- Stainless steel bag tabs, side plates, clean-out plate, draw latches, and hose clamps
- Stainless steel manifold center cover (specific to number of runs)
- All necessary stainless steel hardware



**RE3680**

**Red E Single Shoot Lower Kit for 2.5" Tubes**

- Simple and complete stainless replacement option for single shoot lower assemblies
- For both tow-behind and tow-between air carts (RE3680-TBH, RE3680-TBT)
- Venturi effect manifold design to improve product flow into the air stream
- Pre-Assembled and ready to bolt up reducing install time
- Included with necessary seals, couplers, hose clamps, and stainless steel hardware included

Top & Bottom Insert



**JAS4798A & JAS4797A**

**Venturi Double Shoot Manifold Assembly for 2.5" Tubes**

- Simple and complete stainless replacement option
- Tow-behind (JAS4797A) and tow-between (JAS4758A) options
- OEM slide selector system is eliminated
- All necessary manifold seals, tube couplers, hose clamps, and stainless steel hardware included
- Compatible with aftermarket stainless and OEM John Deere meter housings
- Top shoot & bottom shoot inserts **SOLD SEPARATELY**



**JAS4749A**

**Single Shoot Manifold Assembly for 3" Tubes**

- Simple and complete stainless replacement option for single shoot lower assemblies
- For both tow-behind and tow-between air carts
- All necessary manifold seals, tube couplers, hose clamps, insert, pipe end caps for plugging extra runs, and stainless steel hardware included
- Compatible with aftermarket stainless and OEM John Deere meter housings

Top & Bottom Insert



**JAS4760A & JAS4757A**

**Venturi Double Shoot Manifold Assembly for 3" Tubes**


- Simple and complete stainless replacement option
- Tow-behind (JAS4760A) and tow-between (JAS4757A) options
- OEM slide selector system is eliminated
- All necessary manifold seals, tube couplers, hose clamps, and stainless steel hardware included
- Compatible with aftermarket stainless and OEM John Deere meter housings
- Top shoot & bottom shoot inserts **SOLD SEPARATELY**

## SSK-SCL-\*T-TB\*

### John Deere 1910 Tank Scales

Under or over applying product by even a few pounds per acre can add up to big losses. Red E's John Deere 1910 tank scales allows for verification of product application rates to give you peace of mind, speeds up calibration, and will keep your tractor moving. Improve efficiency and know precisely what is in each tank at any time.

- Accurately measure product weights in each tank at any time
- Reduce time needing to get out and check tanks
- Accurately fill tanks to minimize product remaining in tanks after done applying planned acres
- Compatible with select John Deere 1900 and 1910 air carts



## SSK-\*\*-CONV-FULL

### Stainless Steel Conveyor

- Stainless steel construction resists corrosion caused by fertilizer and the elements
- Compatible with most John Deere 1900 & 1910 air carts
- Direct OEM replacement


Part Number	Description
SSK-SHORT-CONV-K1	Housing Only, 195-340BU
SSK-LONG-CONV-K1	Housing Only, 350-550BU
SSK-SHORT-CONV-FULL	Full Assembly, 195-340BU
SSK-LONG-CONV-FULL	Full Assembly, 350-550BU



## JAS5800A

### Hydraulic Lift Assist Kit

- Heavier duty hydraulic lift assist kit to handle the extra weight of conveyor or auger attachments
- Compatible with most John Deere 1900 and 1910 air carts



## JAS6000A

### Stainless Conveyor Feeder

- Fits all John Deere 1910 550 Bushel and 2015 and newer 1910 hydraulic conveyance ready carts
- The JAS5800A hydraulic lift assist kit is required for non-OEM hydraulic conveyance carts
- Additional air cart fit configurations are possible, contact Red E to verify



## SSK-\*\*-AUG

### Stainless Steel Auger

- Stainless steel construction resists corrosion caused by fertilizer and the elements
- Compatible with most John Deere 1900 & 1910 air carts

Part Number	Description
SSK-8IN-SHORT-AUG-K1	8" Auger, Housing, 195-340BU
SSK-8IN-SHORT-AUG-FULL	8" Auger, Full Assembly, 195-340BU
SSK-8IN-LONG-AUG-K1	8" Auger, Housing, 350-430BU
SSK-8IN-LONG-AUG-FULL	8" Auger, Full Assembly, 350-430BU
SSK-10IN-LONG-AUG-K1	10" Auger, Housing, 350-550BU
SSK-10IN-LONG-AUG-FULL	10" Auger, Full Assembly, 350-550BU



## ASH-CONV-JD

### AirSeeder Conveyor Hopper

- Compatible with John Deere Air Carts that have a John Deere conveyor
- Easy loading from semi-trailers to air seeders
- Has an orbital motor, poly bearings, and includes hydraulic hoses to hook up to control valves
- Mounts in place of the existing conveyor hopper



## ASH-\*

### AirSeeder Hopper

- Options to fit a 7", 8", or 10" Auger
- Many model options that are compatible with John Deere, Bourgault, Concord, Sunflower, Amity, Morris, Seed Hawk, Horsch Anderson, Ezee-On, and Flexi-Coil Air Carts
- Made from lightweight plastic with a mounted wheel to roll easily into position
- Aids in the mixing and coating of inoculants and seed treatment products
- Reduces cracking of delicate crops by eliminating extra transfer augers
- Easy loading from semi-trailers to the air cart
- No hydraulic hookups
- Mounts in place of the existing hopper
- 1/2" x 1/2" hole fertilizer screen included

NOTE: On John Deere carts, the AirSeeder Hopper does not allow for clearance of the air cart tires to allow cleanout of tanks with the onboard auger. This must be considered before purchasing this product. The exception is a 550-bushel cart or a 430-bushel cart with a block under the back wheel. Case IH/Flexi-coil carts with a swing-down manifold system may also pose a challenge to reaching all the tanks to clean them out. Other manufacturer's carts do not exhibit this restriction to our knowledge.



## CHUTE-1910

### Calibration Chute

- Optimize the accuracy and efficiency of your cart with our calibration chutes
- Accurately measure product flow for precise seeding and fertilizing
- Easily catch the sample in a bucket when its time to clean out - Chute stays in place during storage and use
- Universal fit for ground or hydraulic driven carts
- Romafa kit to make chute work with Romafa D.S. lowers

## AIRGUARD BPS

### AirGuard™ Blockage Prevention System

AIRGUARD™ Blockage Prevention Systems are the ideal air drill solution to lower tractor oil temperature and reduce humidity, internal buildup, and plugging in the air stream on your air drill to keep product flowing.

- Seed in wet conditions: Relative humidity will drop 50% or more
- Keep blockage sensors clean: Consistent, reliable sensor readings
- Minimize treatment from covering internal components
- Lower oil temperature: 10°C to 20°C / 50°F to 68°F cooler
- Compatible with most air carts



## CAM-TB\*-\*T

### Overview Camera Kit

- Includes all harnesses, display monitor, cameras inside tanks, and back up camera
- Cameras feature a watertight camera body and 120° and 170° camera lenses
- Connectors at each hitch point
- Cameras for inside each tank of your air cart
- 1-year camera and monitor warranty

## JAS0915

### Secondary Distribution Tower "J" Tube


- 2-1/2" outside diameter, all stainless steel construction
- Resistant to wear and corrosion
- Dimples even out the flow of product



## M-2500-\*

### Stainless Steel Distributor Head

- All stainless steel construction – resistant to wear and corrosion
- 1" and 1-1/4" inch port options available
- Includes rubber clean-out cap
- 4 port to 12 port options available



## SSK-PRESS-CONV

### Stainless Steel Tank Pressurization Conversion Kit

This kit contains all necessary parts to pressurize your single shoot air cart tank:

- Pressurization bulkhead plate
- Hose tube mount
- Hose clamps and hose
- All necessary stainless steel hardware



## SSK-LDR-EXT

### Stainless Steel Ladder Extension Kit

This kit updates the 1900 cart to the newer 1910 funnel weldment style:

- 1900 ladder tube extension/adaptor to 1910 funnel
- Stainless ladder rung plate
- All necessary stainless steel hardware

## SSK-DSP-\*\*\*

### Stainless Steel Acme Double Shoot Plenum Kit

A common problem in the OEM double shoot system is the loss of adjustability of the plenum's deflector. Red E's Stainless Steel Acme Double Shoot Plenum Kit serves as a drop-in corrosion preventative upgrade for components inside a double shoot air plenum.

- Ensures the adjustability of the plenum deflector to manage airflow to the tubes
- Easy to install, pre-assembled stainless steel adjustment handle
- Stainless steel threaded shaft
- Kits available for older (SSK-DSP-OLD) and newer style (SSK-DSP-NEW) plenum deflectors



## SSK-PRESS-SENS

### Stainless Steel Tank Pressure Sensor Kit

This kit contains all necessary parts to replace corroded steel bulkhead plate and the wire harness bolt:

- Sensor bulkhead plate
- Hose tube mount
- Quick connect fitting
- All necessary hardware



## SST-\*\*\*

## SST-AIR2

### Stainless Steel Tube Kit

- High quality stainless steel tubing
- For John Deere 1900, 1910, and C-Series air carts
- Available in all lengths and configurations in either 2.5" diameter (SST-\*\*\*) or 3" diameter (SST-AIR2)



## RSC-1910

### Romafa Section Control

- Compatible with both ground or hydraulic drive John Deere 1900/1910 Air Carts
- Controlled by either a John Deere Rate Controller Liquid or Raven Controller
- Integrates with the required individual row shut-off stainless steel meter housing
- Allows for section control for older John Deere carts



## QCSS22.5

### 2-Port Coupling Kit

- Can be used for any 2-1/2" hose coupler type applications
- Made from durable, corrosion resistant 304 stainless steel with pacified welds
- Replaces John Deere P/N: A82371 and AA67121




# Case IH & Flexi-Coil with Poly Tanks Air Cart Parts

**SHOP NOW**



Reference the following parts details for more information



\*Parts compatible with Case IH and Flexi-Coil Air Carts with Poly Tanks and New Holland SC430/P1060 Air Carts



**JAS1037W**  
**Stainless Lower Tank Hopper/Cradle**

- Replaces Flexi-Coil Part # GL-606
- Comes with necessary hardware
- 1 required per tank




**JAS1024W**  
**Center Double Shoot Manifold**

- 1 required per cart
- Replaces Flexi-Coil Part # GL-440



**FAS0931A**  
**Flexi-Coil Meter Housing**

- 1 required per tank
- Replaces Flexi-Coil Part # GL-400A



**JAS1026W**  
**Center Triple Shoot Manifold**

- 1 required per cart
- Replaces Flexi-Coil Part # GL-441

**JAS1022A**  
**Center Mount Transition Manifold**



- 1 required per tank
- Replaces Flexi-Coil Part # GL-442

**JAS1030W**  
**Center Manifold Outlet**



- 1 required per tank
- Replaces Flexi-Coil Part # GL-443



**JAS1032W**  
**Lower Intermediate Manifold Weldment**

- 1 required per cart
- Replaces Flexi-Coil Part # GL-447

**JAS1045A**  
**Intermediate Manifold Bracket Assembly**



- 1 required per cart
- Comes with necessary hardware

**JAS1028W**  
**Manifold Carrier Bracket**



- 2 required for 3 tank cart, 1 required for 2 tank cart
- Replaces Flexi-Coil Part # GL-444
- Comes with necessary hardware



**JAS1036W**  
**Upper Intermediate Manifold Weldment**

- 2 required for triple shoot, 1 required for double shoot
- Replaces Flexi-Coil Part # GL-448

\*Parts compatible with Case IH and Flexi-Coil Air Carts with Poly Tanks and New Holland SC430/P1060 Air Carts



See Chart


## Stainless Steel Auger Assembly

- Stainless Steel construction resists corrosion caused by fertilizer and the elements
- Compatible with most Case IH Poly Tank air carts
- Replaces OEM Part # 87502443 & 84523912
- Lundell poly cupped flighting included
- Hopper, spout, and hydraulics sold separately

Part Number	Description
JAS2760A	10" Auger Assembly
JAS2784K	10" Auger Hopper and Spout Kit
JAS2785K	10" Auger Hydraulics Kit

## JAS2265W

### Stainless Steel Coarse Screen



- For use on stainless steel 10" Auger Assembly
- Replaces OEM Part # GL-806

See Chart

## Stainless Steel Splitter Tube



Part Number	Description
JAS2267W	2-1/2" inlet to two 1-1/2" outlets
JAS9000W	2-1/2" inlet to two 1-3/4" outlets
JAS2268W	2-1/2" inlet to two 2" outlets
SSRE21	2-1/2" inlet to three 1-1/2" outlets

## FLX-K01

### Agitator Arm Kit

- Stainless steel construction resists corrosion caused by fertilizer and treated seed
- Direct replacement for Case IH OEM #CA-123
- Includes cam follower bearing



## FLX-K02

### Cradle Seals, Hose, & Stainless Hardware Kit

- Full kit for replacing the cradle below the tank
- Includes optimized stainless steel hardware, pressurization hose, and direct replacement seals to integrate into existing plenums and frame



See Chart

## Stainless Linkage Kit

- If converting from the old plastic bevel gear style air adjustment, a weld-on RE3508 will be required to update to the new linkage style air adjustment

Part Number	Description
FLX-K03-*	Front Linkage Kit
FLX-K04	Middle or Rear Linkage Kit

## FLX-K05

### Plenum to Frame Stud Replacement Kit

- Most bolts on the frame break off when removing the plenums. Use this replacement kit instead of drilling and tapping or welding



## FLX-K06

### Stainless Plenum Assembly Kit

- Replaces all parts in the plenum with more cost-effective stainless steel parts
- Parts are compatible with the old plastic plenums but not with CNHi steel parts
- Direct replacement for linkage style air adjustment system. Bevel gear system can be converted to linkage style with weld-on bracket RE3251



See Chart

## Coupling Assembly

- Replaces Flexi-Coil Part #s GD-672A and GD-673

Part Number	Description
QCSS22.5	2-Port Coupling Kit
JAS0936A	3" 2-Port Coupling Kit
QCSS32.5	3-Port Coupling Kit
JAS1049A	4-Port Coupling Kit
JAS1044A	5-Port Coupling Kit

## FAS0001W & JAS0915


### J-Tube Riser Weldment

- Replaces Flexi-Coil Part # GP-103
- Dimples even out the flow of product



See Chart

## Transition Y-Tube



- Converts double shoot or triple shoot OEM plastic selector valves to stainless steel

Part Number	Description
JAS1047W	Transition Y-Tube Single Shoot
JAS1048W	Transition Y-Tube Single Shoot
JAS2287W	Elbow Tube
JAS1295	Straight Bypass Tube, Third Tank
JAS1296	Straight Bypass Tube, Middle Tank




# John Deere 787 & Flexi-Coil 1330 Air Cart Parts

**SHOP NOW**



Reference the following parts details for more information



\*Parts compatible with Flexi-Coil 1330 and John Deere 787 6 Run 130BU Steel Tank Air Carts



## JAS1100A Meter Housing (6 Run)

Built for farmers who demand reliability and precision, this stainless steel meter housing is an essential upgrade to keep your air cart performing season after season.

- **Premium Stainless Steel Construction** – Corrosion-resistant and built to withstand fertilizer, seed treatments, and tough field environments
- **Precision Fit** – Engineered for seamless compatibility with Flexi-Coil 1330 and John Deere 787 air carts, ensuring a hassle-free installation
- **Extended Lifespan** – Eliminates rusting and deterioration common in OEM plastic or mild steel housings, reducing maintenance and replacement costs
- **Consistent Metering Performance** – Designed to maintain accurate seed and fertilizer flow, preventing blockages and ensuring optimal field efficiency



## JAS1112W

### Tube Assembly & Meter Weldment

- 1 required per tank
- Replaces Flexi-Coil Part # GH-743



## JAS1111W

### Center Tube Weldment

- 1 required for 6 run system
- Replaces Flexi-Coil Part # GH-717



## JAS1113W

### Manifold Outlet

- 1 required for 6 run system
- Replaces Flexi-Coil Part # GH-744



## FAS0001W & JAS0915

### J-Tube Riser Weldment

- Replaces Flexi-Coil Part # GP-103
- Dimples even out the flow of product




# Flexi-Coil 1720/2320 & John Deere 787 Air Cart Parts

**SHOP NOW**



Reference the following parts details for more information



\*Parts compatible with Flexi-Coil 1720/2320 and John Deere 787 Steel 2 Tank Air Carts



**JAS0980A**  
**Meter Housing (8 Run)**

Built for farmers who demand reliability and precision, this stainless meter housing is an essential upgrade to keep your air cart performing season after season.

- Corrosion-resistant and built to withstand fertilizer, seed treatments, and tough field environments
- Engineered for seamless compatibility with Flexi-Coil 1720/2320 and John Deere 787 air carts, ensuring a hassle-free installation
- Replaces Flexi-Coil Part #s GH-128A & GH-661A




**JAS1052W**  
**Transition Y-Tube**

- Converts double shoot or triple shoot OEM plastic selector valves to single shoot stainless steel



**FAS0001W & JAS0915**  
**J-Tube Riser Weldment**

- Replaces Flexi-Coil Part # GP-103
- Dimples even out the flow of product



**JAS1018A**  
**Top Channel Weldment**

- 1 required per tank
- Replaces Flexi-Coil Part # GH-209



**JAS1046A**  
**Intermediate Manifold Bracket Assembly**

- 1 required per cart



**JAS0947W**  
**Intermediate Manifold Weldment (Single Shoot)**

- 1 required for air cart
- Replaces Flexi-Coil Part # GH-165



**JAS0948W**  
**Intermediate Manifold Weldment (Double Shoot)**

- 1 required for a double shoot air cart
- Replaces Flexi-Coil Part # GH-169



**JAS1021W**  
**Tube Weldment**

- 1 required per cart
- Replaces Flexi-Coil Part # GH-172



**JAS1015W**  
**Tube Assembly Front Channel Weldment**

- 1 required for single shoot, 2 for double shoot
- Replaces Flexi-Coil Part # GH-242



**See Chart**  
**Coupling Assembly**

- Replaces Flexi-Coil Part #s GD-672A and GD-673

Part Number	Description
QCSS22.5	2-Port Coupling Kit
QCSS32.5	3-Port Coupling Kit
JAS1049A	4-Port Coupling Kit
JAS1044A	5-Port Coupling Kit



**CASE IH** **ADX2230**

**SHOP NOW**



**Case, Flexi-Coil, New Holland**  
40 Series Air Cart Parts

**NOTE:** There are many different parts and compatibility options depending on the cart model. The serial number range should be taken into consideration but is not always accurate. 2-tank configuration examples for both serial number ranges are provided below for reference. Verify compatibility before ordering.

	Flexi-Coil	Case IH	New Holland
<b>AIR CART COMPATIBILITY</b>	1740	ADX2180	SC180
	2340	ADX2230	SC230
	2640	ADX3260	SC260
	3174	Precision Air	
	3234	2230	

### 1st Serial Number Range

1740 Carts  
1740-095801 - 1740-095873

2340 Carts  
2340-092501 – 2340-096740


3174 Carts  
3174-096201 – 3174-097220

3234 Carts  
3234-096101 – 3234-105120


### 2nd Serial Number Range

Includes any carts after the 1st serial number range

### Flexi-Coil 40 Series 1st Serial Number Range



### Flexi-Coil 40 Series 2nd Serial Number Range



\*1st Serial Number Range Parts

## JAS2771A

### Meter Housing

- Compatible with several 40 Series Flexi-Coil variants in the 1st Serial Number Range
- Replaces Flexi-Coil Part # GH-925A, GI-925A2, GH-926A, GI-926A2
- 1 required per tank



\*2nd Serial Number Range Parts

## JAS2774A

### Meter Housing

- Compatible with several 40 Series Flexi-Coil variants in the 2nd Serial Number Range
- Replaces Flexi-Coil Part # GL-400A
- 1 required per tank



## JAS2753K

### Meter Mount Plate Kit

- Includes stainless steel mounting bracket, air plenum mount strips, and hardware for any carts in the 1st Serial Number Range
- Replaces Flexi-Coil Part # GL-343
- 1 required per tank



## JAS2776K

### Meter Mount Plate Kit


- Includes stainless mounting bracket, air plenum mount strips, and hardware for any carts in the 2nd Serial Number Range
- Replaces Flexi-Coil Part # GL-456
- 1 required per tank



## JAS2765A

### Center Manifold


- Made from durable, corrosion-resistant 304 stainless steel with pacified welds
- 1 required per cart
- Replaces Flexi-Coil Part # GI-360



## JAS1118A

### Center Manifold

- Elbow tubes are included in this kit. Rubber couplers are not included
- Replaces Flexi-Coil Part # GI-950 or 87693083
- 1 required per cart



\*Both Serial Number Ranges



**JAS1022W**  
**Center Mount Transition Manifold**

- 1 required per meter
- Replaces Flexi-Coil Part # GL-442



**JAS2763A**  
**Intermediate Manifold Bracket Assembly**

- Compatible with several 40 Series Flexi-Coil variants in the 1st Serial Number Range and 2nd Serial Number Range
- 1 required per cart



**JAS1030W**  
**Center Manifold Outlet**

- Replaces Flexi-Coil Part # GL-443



**JAS1032W**  
**Lower Intermediate Manifold Weldment**

- 1 required per cart
- Replaces Flexi-Coil Part # GL-447



**JAS1036W**  
**Upper Intermediate Manifold Weldment**

- 2 required for triple shoot, 1 required for double shoot
- Replaces Flexi-Coil Part # GL-448



**FAS0001W & JAS0915**  
**J-Tube Riser Weldment**

- Made from durable, corrosion resistant 304 stainless steel with pacified welds
- Replaces Flexi-Coil Part # GP-103
- Dimples even out the flow of product



**See Chart**  
**Coupling Assembly**

- Replaces Flexi-Coil Part #s GD-672A and GD-673

Part Number	Description
QCSS22.5	2-Port Coupling Kit
QCSS32.5	3-Port Coupling Kit
JAS1049A	4-Port Coupling Kit
JAS1044A	5-Port Coupling Kit



**See Chart**  
**Splitter Tube**

The perfect upgrade to any strip till or fertilizer applicator rig where high product flows are required.

Part Number	Description
JAS2267W	2-1/2" inlet to two 1-1/2" outlets
JAS9000W	2-1/2" inlet to two 1-3/4" outlets
JAS2268W	2-1/2" inlet to two 2" outlets
SSRE21	2-1/2" inlet to three 1-1/2" outlets



**JAS2783K**  
**Stainless Steel Drain Chute**

- Replaces the hangers and pan on the meter housing
- Stainless steel hardware included



**Morris 6000, 7000  
8000, 9000**  
Air Cart Parts

**SHOP NOW**



\*Parts compatible with Morris 6000 Series Air Carts



**9-0031-0A**  
**Meter Housing, 6 Run**

- Includes stainless steel mounting hardware and seals
- Replaces OEM Morris Part #: N19490



**9-0023-0A**  
**Manifold Cover, 6 Run**

- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N19289



**9-0024-0W**  
**Collector Box  
Manifold Cover, 6 Run**

- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N19080



**9-0042-0**  
**Section Shut-Off Plate**

- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N19407



**9-0041-0**  
**Calibrator, 3"**

- Compatible with Morris 6000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N19070




**9-0167-0**  
**1/8" Shim**

- Compatible with Morris 6000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel



**9-0040-0**  
**1/4" Shim**

- Compatible with Morris 6000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel



**9-0032-0A**  
**Meter Housing, 8 Run**

- Compatible with Morris 6000 Series Air Carts
- Made from durable, corrosion resistant stainless steel, includes stainless steel mounting hardware and seals
- Replaces OEM Morris Part #: N19686



**9-0044-0A**  
**Manifold Cover, 8 Run**

- Compatible with Morris 6000 & 7000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N19693



**9-0002-0W**  
**Manifold, 8 Run**

- Compatible with Morris 6000 & 7000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N45125

\*Parts compatible with Morris 7000 Series Air Carts



**9-0001-1W**

### Meter Housing, 8 Run


- Compatible with Morris 7000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel, includes stainless steel mounting hardware and seals
- Replaces OEM Morris Part #: N28928



**9-0044-0A**

### Manifold Cover, 8 Run

- Compatible with Morris 6000 & 7000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N19693



**9-0098-0A**

### Cleanout Cover, 2 Outlet

- Compatible with Morris 7000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N21452



**9-0002-0W**

### Manifold, 8 Plate

- Compatible with Morris 6000 & 7000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N45125



**9-0008-0**

### 1/8" Shim

- Compatible with Morris 7000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel



**9-0004-0**

### 1/4" Shim

- Compatible with Morris 7000 Series Air Carts
- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N27099



**9-0173-0**

### Calibrator, 1 3/4"

- Compatible with Morris 7000 Series Air Carts
- For use on #7 wheel
- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N27087



**9-0172-0**

### Calibrator, 2"

- Compatible with Morris 7000 Series Air Carts
- For use on #8 wheel
- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N27088



**9-0169-0**

### Calibrator, 2 1/4"

- Compatible with Morris 7000 Series Air Carts
- For use on #9 wheel
- Made from durable, corrosion-resistant stainless steel
- Replaces OEM Morris Part #: N27089



**9-0170-0**

### Calibrator, 2 1/2"

- For use on #10 wheel
- Replaces OEM Morris Part #: N27090

\*Parts compatible with Morris 8000 & 9000 Series Air Carts

## 9-0055-0A 8000 Series Meter Housing



- Stainless mounting hardware and seals
- Comes with clamping bracket and shut-off gates
- Replaces OEM Morris Part #: N37131

## 9-0059-0W Cleanout Door



- Replaces OEM Morris Part #: N37131

## 9-0068-0W Collector Spacer



- Morris 8000 Series Air Carts, for tow-between carts (TBT) only
- Includes stainless mounting hardware and seals
- Replaces OEM Morris Part #: N37865

## 9-0063-0A 9000 Series Meter Housing




- Stainless mounting hardware and seals
- Comes with clamping bracket and shut-off gates
- Replaces OEM Morris Part #: N40671

## 9-0045-0A 9-Run Bottom Cover



- Replaces OEM Morris Part #: N37932

## 9-0169-0 9-Run Double Shoot Collector Body



- Replaces OEM Morris Part #: N37700 / N36285

## 9-0067-0W 9-Run, Manifold



- Replaces OEM Morris Part #: N47040

## 9-01\*\* Flat Distributors



- 7 outlet through 11 outlet options available for 6000, 7000, and 8000 series Morris air carts

## 9-0073-0A Coupling Hose



- Compatible with all Morris Series Air Carts
- Replaces OEM Morris Part #: GL-441

## 9-01\* Straight Seed Delivery Tubes



- Available in many lengths and configurations for 6000, 7000, and 8000 series Morris air carts
- Made from durable, corrosion-resistant stainless steel

## 9-0044-0A Formed Seed Delivery Tubes



- Available in many lengths and configurations for 6000, 7000, and 8000 series Morris air carts

## 9-0097-0W Dimpled Tube



- Compatible with all Morris Series Air Carts
- Replaces OEM Morris Part #: N15135



# Hydraulic Drive Conversion

## Air Cart Parts

**SHOP NOW**



John Deere Hydraulic Drive Conversion Kits




See Chart

## John Deere 1900/1910 Hydraulic Drive Conversion Kit

- Upgrade your ground drive cart to hydraulic drive with instant variable rate control, improved rate control accuracy, and easier calibration
- Kit contains all necessary wiring, hydraulic components, brackets, wiring harnesses and hardware (Rate Controller purchased separately)
- Industry exclusive meter control switch box - allows for meter jogging at cart instead of tractor
- Compatible with several different rate controllers including John Deere RCM Dry, Raven, Ag Leader, and more
- Options available for both tow behind and tow between air carts and 1, 2, or 3 tank configurations

Part Number	Description
HDC-1910-1TNK	1 Tank, Tow Behind or Tow Between
HDC-1910-2TNK	2 Tank, Tow Behind or Tow Between
HDC-1910-3TNK	3 Tank, Tow Behind or Tow Between



HDC-1910-LOW RATE


## John Deere 1900/1910 Hydraulic Drive Low Rate Conversion Kit

- Improves meter speed sensor readings by increasing tone wheel rotational speed for low product application rates
- To be used in conjunction with our Hydraulic Drive Conversion Kit for a John Deere 1900/1910
- Bolts on to existing assembly, with no modifications required
- Ideal when application rates require meter roller to spin at 8 RPM or less
- Note: Adding tuning rings and/or switching to a smaller meter roller will also mitigate inconsistent speed sensor readings

HDC-1990-CCS

## John Deere 1990CCS Hydraulic Drive Conversion Kit

- Compatible with John Deere 1690 and 1990CCS ground drive air drills
- Eliminate the ground drive wheel assembly and upgrade your CCS air drill to hydraulic drive
- Instant variable rate control, improved rate control accuracy, and easier calibration
- Kit contains all necessary wiring, hydraulic components, brackets, wiring harnesses, and hardware (Rate Controller purchased separately)
- Industry-exclusive meter control switch box - allows for meter jogging at drill instead of tractor
- Compatible with several different rate controllers including John Deere RCM Dry, Raven, Ag Leader, and more



Case IH, Flexi-Coil, and Bourgault Hydraulic Drive Conversion Kits




See Chart

## Flexi-Coil Hydraulic Drive Conversion Kit

- Upgrade your ground drive or OEM hydraulic drive cart to Red E hydraulic drive
- Instant variable rate control, improved rate control accuracy, and easier calibration
- Kit contains all necessary wiring, hydraulic components, brackets, wiring harnesses, and hardware (Rate Controller purchased separately)
- Industry-exclusive meter control switch box - allows for meter jogging at cart instead of the tractor
- Compatible with several different rate controllers including John Deere RCM Dry, Raven, Ag Leader, and more
- Low lbs/acre capabilities for canola and similar small seeds without “cogging”

Part Number	Description
HDC-FLEXICOIL-2TNK	2 Tank, Tow Behind or Tow Between
HDC-FLEXICOIL-3TNK	3 Tank, Tow Behind or Tow Between



## HDC-BOURGAULT

### Bourgault Hydraulic Drive Conversion Kit

- Compatible with Bourgault 4350, 6700ST, L6550ST, 6550/6550ST, L6450/L6455, 6450, L6350, 6350, L6280, 6280 air cart models
- Upgrade your ground drive cart to hydraulic drive
- Instant variable rate control, improved rate control accuracy, and easier calibration
- Kit contains all necessary wiring, hydraulic components, brackets, wiring harnesses, and hardware (Rate Controller to be purchased separately)
- Industry-exclusive meter control switch box – allows for meter jogging at cart instead of the tractor
- Compatible with several different rate controllers including John Deere RCM Dry, Raven, Ag Leader, and more



# John Deere 60/90 Series Air Drill Parts

**SHOP NOW**



\*Parts compatible with John Deere 1560, 1590, 1860, 1890, 1895, 1990, and ProSeries™ Drills

## AG-K04 Heavy Duty Extended Wear Main Opener Arm Pivot Kit



- Upgraded bushings and pin prevent cracking and minimize row unit side-to-side movement
- Maintains 7° cutting disc angle for reduced seed boot wear, straighter rows, and improved trash cutting and seed furrow formation
- Has flats for easy pin turning to extend life
- Replaces John Deere P/N: N282536 and N283636

## AG-K08 Depth Adjuster Arm Kit with Hardware



- Universal design replaces both left and right hand configurations
- Improved carbon plate steel is better than the OEM cast arm
- Replaces worn and sloppy depth handles for less cost

See Chart

## Gauge Wheel Tires and Assemblies

- Our Heavy-Duty Gauge Wheels are designed to handle the toughest conditions and improve your performance



Part Number	Description
RE6038U	3" Urethane Replacement Tire
RE6032U	3" X 16" Spoked Urethane Gauge Wheel
RE6032R	3" X 16" Spoked Rubber Gauge Wheel
RE6033R	4.5" X 16" Spoked Rubber Gauge Wheel
RE6019R	3" X 16" Steel/Steel Rubber Gauge Wheel, Cast
RE6023R	4.5" X 16" Steel/Steel Rubber Gauge Wheel, Cast



## AG1078T Main Opener Arm Install Tool

- Install your Main Opener Arm King Pin & Bushings with ease with the Red E exclusive install tool
- Draws in new bushings while pressing out old bushings in a single operation

## AG-K10HD Heavy Duty Depth Control Handle and Cover Kit



- Heavy duty replacement for John Deere OEM cover and handle
- Allows for depth arm handle to move smoothly and helps gauge wheel axles from seizing

## AG-K03 Heavy Duty Depth Adjuster Pivot Kit



- Complete rebuild kit for depth arm pivot
- Custom triple lip seals on both ends keep depth arm from sticking
- Completely seals off depth adjuster shaft – no more leak points

## AG-K16 Depth Adjuster Rehabilitation Kit



- Refurbishes stuck depth arm pivots, restoring full range of depth adjustment
- Kit includes: heavy duty depth arm seal, upgraded triple lip seals, quad-ring seal, stock guard, stainless steel shim

RECON

## Recon Blockage & Flow Monitor

- A blocked run on your seeder can cost time and money. Using acoustic sensors to detect flow variance by section, ReconBlockage instantly alerts you of blocked runs, preventing skips and associated yield loss



\*Parts compatible with John Deere 1560, 1590, 1860, 1890, 1895, 1990, and ProSeries™ Drills



## AG2628

### Red E Extended Wear Seed Boot

- Extended wear material for long-lasting performance
- Reduces cracking around the seed tube inlet and prevents plugging, unlike OEM Pro Series
- Lower cost than OEM alternatives
- Proudly made in the USA
- Fits 60/90 & Pro-Series



## AG-K05

### Heavy Duty Extended Wear Seed Tab Kit

- Guides and places seed into the bottom of the furrow
- UV resistant high wear formula resists breaking
- Includes Red E exclusive L-bolt and nut to reduce air flow intrusion

See Chart

### Stainless Seed Tube Rebuild Kit



- Repair sloppy or stuck seed tubes
- Comes complete with seed tube bolt and Sabre™ tooth clamp
- Innovative design improves hose installation and removal

Part Number	Description
AG-K25	Straight Seed Tube Kit
AG-K26	Right Angle Seed Tube Kit
AG-K27	Left Angle Seed Tube Kit



## AG-K07-ST

### Seed Boot Stabilizer Kit

- US Patent 9,485,903
- Removes up and down play of the seed boot
- Great alternative to labor intensive drill out version
- Simple to install with no drilling or machining required
- Includes necessary hardware



## AG-K05-FIN


### Pro-Stitch Bonilla Seed Tab

- Angled and tapered to follow the contour of the furrow
- Made from UHMW plastic
- Includes Red E exclusive L-bolt and nut to reduce air flow intrusion

## AG-K35

### Stainless NH3 Tube Rebuild Kit

- Stainless steel tube replaces the OEM NH3 tube on SFP row units
- Direct OEM replacement
- Improved mounting tab design keeps tube from breaking at the weld



## AG2631

### Heavy Duty Extended Wear Seed Boot Spring

- Life expectancy up to 2x longer than OEM
- ECOGUARD™ coated for extreme corrosion resistance
- Improved spring tension performance to keep seed boot firmly against cutting disc



## AG-K29

### Stainless SFP Tube

- Stainless steel SFP seed tube includes seed tube bolt

\*Parts compatible with John Deere 1560, 1590, 1860, 1890, 1895, 1990, and ProSeries™ Drills



**See Chart**  
**Closing Wheels**

Part Number	Description
AG-K20	Extended Wear Bolt-On Spiked Closing Wheel Kit
AG2150	Red E Cast Notched Closing Wheel
PSD100JD	Pro-Stitch John Deere Drill Closing Wheels



**CWS-90**  
**Closing Wheel Arm Spring**

- Standard OEM round wire replacement spring
- Assists in maintaining contact between closing wheel and ground for consistent closing of the seed trench
- Powder coated for better rust prevention



**AG-K14**  
**Heavy Duty Closing Wheel Arm Spring**

- 5% – 10% more available down pressure and 20% longer life compared to OEM
- Assists in maintaining contact between closing wheel and ground for consistent closing of the seed trench
- Powder coated for better rust prevention



**AG-K19-90**  
**Closing Wheel Arm Assembly**

- Includes closing wheel arm, bearing, snap ring, and dust cap
- Precision laser cut and formed from plate steel - not cast iron
- Replaces John Deere P/N: AN281170 & AN281171



**AG-K36**  
**Greaseless Closing Wheel Arm Bearing Pivot Fix Kit**

- Economical greaseless pivot solution that lasts - no more cost and headache that comes with greasing
- Remove excess play by replacing your pin/bushings with a pair of high precision sealed bearings
- Triple lip seals keep pivots from seizing up
- Must use Install Tool - **AG-K45**



**NA-K01**  
**Urethane V8 Press/Firming Wheel Kit**

- Tire profile better matches seed trench shape, maximizing seed to soil contact
- Long lasting double row ball bearing
- 10" flexible urethane tire significantly extends life versus rubber
- Includes custom low clearance head grade 8 bolt, washers and lock nut



**FWS-90**  
**Press/Firming Wheel Arm Spring**

- Standard OEM round wire replacement spring
- Powder-coated for better rust prevention



**AG1076**  
**Heavy Duty Press/Firming Wheel Arm Spring**

- 5% – 10% more available down pressure over OEM and other round wire replacement springs
- Powder coated for better corrosion resistance



**AG1030**  
**Press Wheel Arm**

- Replace bent arms to keep press/firming wheel tracking in the furrow on top of seed



**AG-K37**  
**Greaseless Press Wheel Arm Bearing Pivot Fix Kit**

- Economical greaseless pivot solution
- High-precision sealed bearings
- Triple lip seals keep pivots from seizing up
- Must use Install Tool - **AG-K45**



Part Number	Description
AG-K01	Heavy Duty Closing Wheel Arm Pivot Kit
AG-K02	Heavy Duty Press Wheel Arm Pivot Kit

**See Chart**  
**Heavy Duty Closing Wheel Arm and Press Wheel Arm Pivot Fix Kits**

- Longest lasting Red E solution
- Removes excess play or stiffness in the pivot
- Greasing intervals are reduced to 1-2 times per season
- Effectively seals out dirt and debris

\*Parts compatible with John Deere 1560, 1590, 1860, 1890, 1895, 1990, and ProSeries™ Drills

**See Chart**  
**Opener Discs**

Our cutting discs efficiently slice through residue and create a precise seed trench, working seamlessly with the seed boot and gauge wheel to ensure accurate seed placement at the optimal depth.



Part Number	Description
RE4930	18" Forges de Niaux 200 Disc
RE4931RZR	18-5/8" Forges de Niaux 200
RE6000	18-5/8" Ingersoll Hi-Hard Opener Disc Standard Edge
RE6001RZR	18-5/8" Ingersoll Hi-Hard Opener Disc RZR Edge
RE4926	19" Red E 30 Point Extended Wear Notched Disc
RE4927RZR	20.4" Ingersoll Disc, Extended Wear RXR Edge



**See Chart**  
**Primary and Secondary Hose**

- Urethane blend lasts 2x longer than PVC
- UV and chemical resistant
- Compatible with all air drills, sold in 100' rolls

Part Number	Description
AG2091EXT	1" ID x 1-1/4" OD Black Urethane Secondary Hose
AG2092EXT	1-1/4" ID x 1-1/2" OD Black Urethane Secondary Hose
AG2093EXT	2-1/2" ID x 2-7/8" OD Clear Urethane Primary Hose
AG2093TFLEX	2-1/2" ID x 3" OD Black Tigerflex Urethane Primary Hose



**JAS0915**  
**Secondary Distribution Tower "J" Tube**

- 2-1/2" outside diameter, all stainless steel construction
- Resistant to wear and corrosion
- Dimples even out the flow of product



**AG2622**  
**Bumper Stop**

- Prevents damaging the SFP sealer wheel arm on the front rank of a 1895 drill

**See Chart**  
**Gauge, Press/ Firming, & Closing Wheel Bearings**



- These bearings are a direct replacement for John Deere and Case IH OEM and feature premium materials with a proven track record

Part Number	Description
AG2028X	Peer SeedXtreme Double Row Ball Bearing

**See Chart**  
**Needham Greaseless Closing and Press Wheel Arm Pivot Fix Kits**



- Economical greaseless pivot solution
- Removes excess play or stiffness
- Easy to install, seals out dirt and debris
- Kit comes with all hardware needed for installation
- Press wheel arm pivot base kit does not include bolt

Part Number	Description
NA-K07	Needham Closing Wheel Arm Pivot Kit
NA-K08	Needham Press Wheel Arm Pivot Kit



**RE6026**  
**Gauge Wheel Backer Plate**

- This innovative backer plate fits both John Deere & Carlisle spoked gauge wheels to help reinforce for longer life



**M-2500**  
**Stainless Steel Distributor Head**

- All stainless steel construction – resistant to wear and corrosion
- 1" and 1-1/4" inch port options available
- Includes rubber clean-out cap
- 4 port to 12 port options available



**See Chart**  
**Coupling Assembly**

- Replaces Flexi-Coil Part #s GD-672A and GD-673

Part Number	Description
QCSS22.5	2-Port Coupling Kit
JAS0936A	2-Port Coupling Kit



**AG-K15-FULL**  
**Disc Hub Seal and Wear Ring, and Bearing Kit**

- Includes replacement bearing, large and small triple lip seals and wear rings
- Extends bearing life by keeping dirt and moisture out of the hub and away from the bearing
- Also available without replacement bearing
- Custom install tool available to speed installation



# John Deere 50 Series

## Air Drill Parts

**SHOP NOW**



\*Parts compatible with John Deere 50 Series Air Drills

## AG-K04 Heavy Duty Extended Wear Main Opener Arm Pivot Kit



- Upgraded bushings and pin prevent cracking and minimize row unit side-to-side movement.
- Maintains 7° cutting disc angle for reduced seed boot wear, straighter rows, and improved trash cutting and seed furrow formation.
- Replaces John Deere P/N: N282536 and N283636

## AG1078T Main Opener Arm Install Tool



- Install your Main Opener Arm King Pin & Bushings with ease with the Red E exclusive install tool. Draws in new bushings while pressing out old bushings in a single operation

## See Chart Gauge Wheel Tires and Assemblies

- Gauge wheels accurately control seed depth and aid in keeping the disc clean



Part Number	Description
RE6038U	3" Urethane Replacement Tire
RE6032R	3" X 16" Spoked Rubber Gauge Wheel
RE6032U	3" X 16" Spoked Urethane Gauge Wheel
RE6033R	4.5" X 16" Spoked Rubber Gauge Wheel
RE6019R	3" X 16" Steel/Steel Rubber Gauge Wheel, Cast
RE6023R	4.5" X 16" Steel/Steel Rubber Gauge Wheel, Cast

## AG2631 Heavy Duty Extended Wear Seed Boot Spring



- Life expectancy up to 2x longer than OEM
- ECOGUARD™ coated for extreme corrosion resistance
- Improved spring tension performance to keep seed boot firmly against cutting disc

## See Chart Gauge, Press/ Firming, & Closing Wheel Bearings




Part Number	Description
AG2028X	Peer SeedXtreme Double Row Ball Bearing

## See Chart Primary and Secondary Hose

- Urethane blend lasts 2x longer than PVC
- UV and chemical resistant
- Compatible with all air drills, sold in 100' rolls

Part Number	Description
AG2091EXT	1" ID x 1-1/4" OD Black Urethane Secondary Hose
AG2092EXT	1-1/4" ID x 1-1/2" OD Black Urethane Secondary Hose
AG2093EXT	2-1/2" ID x 2-7/8" OD Clear Urethane Primary Hose
AG2093TFLEX	2-1/2" ID x 3" OD Black Tigerflex Urethane Primary Hose

## AG-K07-ST50 Seed Boot Stabilizer



- US Patent 9,485,903
- Removes up and down play of the seed boot
- Great alternative to labor intensive drill out version
- Simple to install with no drilling or machining required
- Includes necessary hardware

## AG-K05-STD Heavy Duty Extended Wear Seed Tab Kit



- Prevents seed from blowing out of furrow
- Guides and places seed into the bottom of the furrow
- UV resistant high wear formula resists breaking
- Includes Red E exclusive I-bolt and nut to reduce air flow intrusion



\*Parts compatible with John Deere 50 Series Air Drills

See Chart

## Opener Discs

Our cutting discs efficiently slice through residue and create a precise seed trench, working seamlessly with the seed boot and gauge wheel to ensure accurate seed placement at the optimal depth.



Part Number	Description
RE4930	18" Forges de Niaux 200 Disc
RE4931RZR	18-5/8" Forges de Niaux 200 Disc
RE6000	18-5/8" Ingersoll Hi-Hard Opener Disc Standard Edge
RE6001RZR	18-5/8" Ingersoll Hi-Hard Opener Disc RZR Edge
RE4926	19" Red E 30 Point Extended Wear Notched Disc



See Chart

## Coupling Assembly

- Replaces Flexi-Coil Part #s GD-672A and GD-673

Part Number	Description
QCSS22.5	2-Port Coupling Kit



RE6026

## Gauge Wheel Backer Plate

- This innovative backer plate fits both John Deere & Carlisle spoked gauge wheels to help reinforce for longer life



RECON

## Recon Blockage & Flow Monitor

- A blocked run on your seeder can cost time and money. Using acoustic sensors to detect flow variance by section, ReconBlockage instantly alerts you of blocked runs, preventing skips and associated yield loss



M-2500

## Stainless Steel Distributor Head

- Stainless steel construction – resistant to corrosion
- 1" and 1-1/4" inch port options available
- Includes rubber clean-out cap
- 4 port to 12 port options available

\*Parts compatible with John Deere 50 Series Air Drills



**See Chart**  
**Closing Wheels**

Part Number	Description
AG-K20	Extended Wear Bolt-On Spiked Closing Wheel Kit
AG1032	Smooth Cast Closing Wheel
AG2150	Red E Cast Notched Closing Wheel



**NA-K01**  
**Urethane V8 Press Wheel Kit**

- Tire profile better matches seed trench shape, maximizing seed to soil contact
- Long lasting double row ball bearing
- 10" flexible urethane tire significantly extends life versus rubber
- Includes custom low clearance head grade 8 bolt, washers and lock nut



**AG1142**  
**50 Series Press Wheel Arm**

- Replace bent, broken or missing 50 series press wheel arms at a fraction of the OEM cost



**AG-K19-50**  
**Closing Wheel Arm Assembly**

- Includes closing wheel arm, bearing, snap ring, hardware, and dust cap
- Upgrade your existing OEM arms to the 60/90 series
- Moves the bearing from the wheel to the arm to eliminate premature bearing failure.
- Replace bent arms caused from unfolding with rows down or hitting rocks in the field
- Precision laser cut and formed from plate steel - not cast iron



**AG-K36**  
**Greaseless Closing Wheel Arm Bearing Pivot Fix Kit**

- Economical greaseless pivot solution that lasts - no more cost and headache that comes with greasing
- Remove excess play by replacing your pin/bushings with a pair of high precision sealed bearings
- Triple lip seals keep pivots from seizing up
- Must use Install Tool - **AG-K45**



**AG-K23-50**  
**Greaseless Press Wheel Arm Bearing Pivot Fix Kit**

- Economical greaseless pivot solution that lasts - no more cost and headache that comes with greasing
- Remove excess play by replacing your pin/bushings with a pair of high precision sealed bearings
- Triple lip seals keep pivots from seizing up
- Easy to install - kit comes with all new grade 8 hardware



**NA-K08-50**  
**Needham Greaseless Press Wheel Arm Pivot Fix Kit**

- Economical greaseless pivot solution
- Removes excess play or stiffness
- Easy to install, seals out dirt and debris
- Kit comes with all hardware needed for installation
- *Press wheel arm pivot base kit does not include bolt*



**AG1076**  
**Heavy Duty Closing and Press Wheel Arm Springs**

- For a 50 series John Deere air drill, use this spring for both closing wheel and firming wheel arms
- 5% – 10% more available down pressure over OEM and other round wire replacement springs
- Large square wire coil increases life
- Powder coated for better corrosion resistance



**FWS-90**  
**Closing and Press Wheel Arm Springs**

- For a 50 series John Deere air drill, use this spring for both closing wheel and firming wheel arms
- Standard OEM round wire replacement spring
- Powder coated for better corrosion resistance

# Case IH SDX Series Air Drill Parts

**SHOP NOW**



\*Parts compatible with Case IH SDX30, SDX40, and 40 Precision Disk Drills



**SDX-K03**  
**SDX Main Opener Arm Bracket Slop Fix Kit**

- Kit includes a new pivot pin, new bushings and all hardware required to rebuild the pivot
- Higher hardness pin and thicker weld-on flange plate
- Grade 8 flange hardware
- Use with our SDX Main Opener Mount (RE3029)



**RE3029**  
**SDX Main Opener Mount**

- Our main opener mounts are the same as OEM, but with larger pivot pin holes to accept spring bushings (sold separately - included in SDX-K03)
- Removes slop caused by main opener pin seizing in the main opener arm



**RE3068**  
**Main Arm Bracket A-Bolt**

- Attaches SDX main opener mount to the rock shaft
- Use with our SDX Main Opener Arm Update Kit (SDX-K03)

**RE3063**  
**Spring Adjustment Pin**

- Replace seized or missing pins



**RE3064**  
**Cotter Pin**

- Secures RE3063 spring adjustment pin



**SDX-K09**  
**SDX Heavy Duty Depth Adjuster Link Kit (Early Style)**

- Replaces worn depth adjuster plate and related hardware to restore seed depth accuracy
- Kit includes: depth adjuster plate, hardened hardware, depth adjuster pin and exclusive weld-on plate to repair worn depth adjuster handle slot



**SDX-K15**  
**SDX Depth Adjuster Kit**

- Replaces worn depth adjuster plate and related hardware to restore seed depth accuracy
- Kit includes: depth adjuster plate, hardened hardware, depth adjuster pin and exclusive weld-on plate to repair worn depth adjuster handle slot

**SDX-K04**  
**SDX Depth Adjuster Link Fix Kit (New Style)**

- Our kit includes a bushing and replacement hardware to fix worn, egg-shaped mounting holes, eliminating row unit movement for consistent seed depth
- Use 3/4" Tapered Reamer (P/N RE3122) to resize hole



**SDX-K07**  
**SDX Depth Adjuster Pivot Fix Kit**

- Restores the ability to adjust the depth of seed placement
- Replaces worn bushings



**RE3122**  
**3/4" Tapered Reamer**

- Use with SDX Depth Adjuster Link Slop Fix Kit (P/N SDX-K04)
- Properly resizes the hole in the depth arm to accept new bushing
- Fixes worn and egg-shaped holes



**RE3040**  
**SDX Depth Adjuster Pivot Arm**

- Replace broken, sloppy, or stuck SDX gauge wheel arms at a fraction of the OEM cost



\*Parts compatible with Case IH SDX30, SDX40, and 40 Precision Disk Drills



See Chart

## Closing Wheels

Part Number	Description
AG-K20	Extended Wear Bolt-On Spiked Closing Wheel Kit
AG2150	Red E Cast Notched Closing Wheel
PSD100	Pro-Stitch Case IH Drill Closing Wheels

\*Need SDX-K13 Kit to work with these Closing Wheels

See Chart

## Gauge Wheel Tires and Assemblies

- Our Heavy-Duty Gauge Wheels are designed to handle the toughest conditions and improve your performance



Part Number	Description
RE6038U	3" Urethane Replacement Tire
RE6019R	3" X 16" Steel/Rubber Gauge Wheel, Cast Hub
RE3401R	4-1/2 RIP Rubber Tire Nylon/Steel Gauge Wheel Assembly
RE3402R	4-1/2 X 16 RIP Rubber Gauge Wheel
RE6023R	4.5" X 16" Steel/Rubber Gauge Wheel, Cast Hub



SDX-K13

## SDX Closing Wheel Arm Update Kit

- Upgraded bolt-through design with a precision ground and hardened pivot pin, hardened spring steel bushings and seals
- Greaseable grade 8 bolt for serviceability and pivot strength
- Closing wheel bearing moved from wheel into the arm allowing a larger, double-row bearing which is better protected from the dirt for longer service life
- Your choice of smooth-cast or spiked closing wheel for increased durability and life

See Chart

## Opener Discs

- Our premium cutting discs deliver sharp, precise cuts, ensuring better seed placement and improved field performance



Part Number	Description
RE3035	22-5/8" SDX Ingersoll Opener
RE3335	23-1/4" SDX Notched Opener Disc



See Chart

## Primary and Secondary Hose

- Urethane blend lasts 2x longer than PVC
- UV and chemical resistant.
- Compatible with all air drills, sold in 100' rolls

Part Number	Description
AG2091EXT	1" ID x 1-1/4" OD Black Urethane Secondary Hose
AG2092EXT	1-1/4" ID x 1-1/2" OD Black Urethane Secondary Hose
AG2093EXT	2-1/2" ID x 2-7/8" OD Clear Urethane Primary Hose
AG2093TFLEX	2-1/2" ID x 3" OD Black Tigerflex Urethane Primary Hose



RE6026

## Gauge Wheel Backer Plate

- This innovative backer plate fits both John Deere & Carlisle spoked gauge wheels to help reinforce for longer life



See Chart

## Gauge, Press/Firming & Closing Wheel Bearings

- These bearings are a direct replacement for John Deere and Case IH OEM and feature premium



Part Number	Description
AG2028	Peer Double Row Ball Bearing
AG2028X	Peer SeedXtreme Double Row Ball Bearing

\*Parts compatible with Case IH SDX30, SDX40, and 40 Precision Disk Drills



## M-2500 Stainless Steel Distributor Head

- Stainless steel construction – resistant to corrosion
- 1" and 1-1/4" inch port options available
- Includes rubber clean-out cap
- 4 port to 12 port options available



Hardware  
Included:



## SDX-K05 SDX Extended Wear Disc Scraper Kit

Disc scrapers are a critical part of opening the seed trench and keeping the disc free from mud and debris. Our extended wear scrapers provide a longer-lasting solution for your Case IH SDX or Precision Disk drills

- Replaces Case IH P/N: 350347A1



## See Chart Coupling Assembly

- Replaces Flexi-Coil Part #s GD-672A and GD-673

Part Number	Description
QCSS22.5	2-Port Coupling Kit
QCSS32.5	3-Port Coupling Kit
JAS1049A	4-Port Coupling Kit
JAS1044A	5-Port Coupling Kit



See Chart

## SDX Stainless Seed Tube

- Replace corroded or worn out seed tubes with stainless steel
- Stainless steel seed tube, Sabre™ hose clamp, and flange nuts included

Part Number	Description
SDX-K10	SDX Seed Tube for 1" Hose
SDX-K11	SDX Seed Tube for 1-1/4" Hose



## RE3004 SDX Seed Tab

- Designed to help direct and press seed precisely into the trench with your Case IH SDX drill



## See Chart Stainless Steel Splitter Tube

Part Number	Description
JAS2267W	2-1/2" inlet to two 1-1/2" outlets
JAS9000W	2-1/2" inlet to two 1-3/4" outlets
JAS2268W	2-1/2" inlet to two 2" outlets
SSRE21	2-1/2" inlet to three 1-1/2" outlets

## AG-SS7360 AirGuard™ Stainless Steel Seed Brake Kit



- Fully adjustable — balance the airflow across your seeder using the patented adjustable exhaust port
- Minimize seed damage — the seed brake uses a spiral system to slow seed flow; there are no baffles for the seeds to hit against
- Stainless steel construction with UV protected plastic withstands harsh weather conditions
- Includes bushings to accept additional hose sizes



## RECON Recon Blockage & Flow Monitor

- A blocked run on your seeder can cost time and money. Using acoustic sensors to detect flow variance by section, ReconBlockage instantly alerts you of blocked runs, preventing skips and associated yield loss



# Case IH PD500 & New Holland 2000 Series Air Drill Parts

**SHOP NOW**



\*Parts compatible with Case IH Precision Disk 500, 500DS, 500T, PD500 and New Holland 2080/2085, P2000, P2080, P2082, and P2085 Drills



**PD5-K05**  
**PD500 Greasable Rear Main Pin Kit**

- Upgrade from an ungreased pivot to a greaseable one
- Similar price to OEM ungreased pivot



**PD5-K04**  
**PD500 Front Main Pin Pivot Kit**

- Direct replacement of OEM front main pivot kit



**PD5-K03**  
**PD500 Greaseless Bearing Closing Wheel Arm Pivot Kit**

- Greaseless closing wheel arm pivot
- Triple-lip sealed bearings
- Needs to be used with PD5-JD-K01L/R or PD5-K01L/R Closing Wheel Arms



**PD5-K08**  
**PD500 Top Greaseless Main Pivot Kit**

- Direct OEM replacement
- One pivot kit replaces both the front and the rear top link pivots
- Option with Linkage Arm: [PD5-K08-LINK](#)



**See Chart**  
**Gauge, Press/Firming, & Closing Wheel Bearings**

Part Number	Description
AG2028X	Peer SeedXtreme Double Row Ball Bearing

**See Chart**

**Gauge Wheel Tires and Assemblies**

- Our Heavy-Duty Gauge Wheels are designed to handle the toughest conditions and improve your performance



Part Number	Description
RE6038U	3" Urethane Replacement Tire
RE6038R	3" Rubber Replacement Tire
RE6032R	3" X 16" Spoked Rubber Gauge Wheel
RE6032U	3" X 16" Spoked Urethane Gauge Wheel
RE6033R	4.5" X 16" Spoked Rubber Gauge Wheel
RE6034R	4" X 18" Spoked Rubber Gauge Wheel (Double Shoot Only)
RE6019R	3" X 16" Steel/Rubber Gauge Wheel, Cast Hub
RE6023R	4.5" X 16" Steel/Rubber Gauge Wheel, Cast Hub

**See Chart**

**Primary and Secondary Hose**

- Urethane blend lasts 2x longer than PVC
- UV and chemical resistant
- Compatible with all air drills, sold in 100' rolls



Part Number	Description
AG2091EXT	1" ID x 1-1/4" OD Black Urethane Secondary Hose
AG2092EXT	1-1/4" ID x 1-1/2" OD Black Urethane Secondary Hose
AG2093EXT	2-1/2" ID x 2-7/8" OD Clear Urethane Primary Hose
AG2093TFLEX	2-1/2" ID x 3" OD Black Tigerflex Urethane Primary Hose



**RE6026**

**Gauge Wheel Backer Plate**

- This innovative backer plate fits both John Deere & Carlisle spoked gauge wheels to help reinforce for longer life



**M-2500**

**Stainless Steel Distributor Head**

- All stainless steel construction – resistant to wear and corrosion
- 1" and 1-1/4" inch port options available
- Includes rubber clean-out cap
- 4 port to 12 port options available



**AG-K30**

**Gauge Wheel Lip Extender Kit**

- This kit provides an extended lip, preventing excessive soil and debris from accumulating inside the wheel, ensuring smoother operation and reduced downtime in the field
- Not for Double Shoot 18" Gauge Wheels



**See Chart**

**Stainless Steel Splitter Tube**

Part Number	Description
JAS2267W	2-1/2" inlet to two 1-1/2" outlets
JAS9000W	2-1/2" inlet to two 1-3/4" outlets
JAS2268W	2-1/2" inlet to two 2" outlets
SSRE21	2-1/2" inlet to three 1-1/2" outlets



**FAS0001W & JAS0915**

**J-Tube Riser Weldment**

- Made from durable, corrosion resistant 304 stainless steel
- Dimples even out the flow of product
- **JAS0915:** Comes without Flange
- **FAS0001W:** Comes with Flange



**See Chart**

**Coupling Assembly**

- Replaces Flexi-Coil Part #s GD-672A and GD-673

Part Number	Description
QCSS22.5	2-Port Coupling Kit
QCSS32.5	3-Port Coupling Kit
JAS1049A	4-Port Coupling Kit
JAS1044A	5-Port Coupling Kit

**RE3302**  
**Red E 19"**  
**PD500**  
**Notched**  
**Opener Disc**



- Patent pending 30 point notched profile excels at cutting through residue and reducing hair pinning
- Penetrate even the hardest ground
- Keeps turning in loose soil and heavy residue conditions

**RE6002RZR**  
**18-5/8"**  
**PD500 Ingersoll**  
**Hi-Hard Opener**  
**Disc**



- New Ingersoll Hi-Hard discs utilize advanced heat-treating processes to achieve some of the hardest discs in the industry
- The 18-5/8" diameter coupled with higher grade steel and hardness can last over 50% longer than standard 18" competing discs
- High hardness material helps retain a sharp cutting edge to ensure accurate seed placement
- Made in USA and Canada and available exclusively through Red E



See Chart

**PD500 Closing Wheel Arm Update Kit with Angle Changer**

- Enhance seed trench closure in tough no-till conditions with Red E's Closing Wheel Arm Update Kit. This upgrade allows for three adjustable closing wheel angles and compatibility with a wide range of Case IH and John Deere-style aftermarket closing wheels, ensuring optimal performance across various soil conditions. The kit also replaces the OEM welded pin design with a bolt-through serviceable pivot for improved durability and ease of maintenance

\*Specify closing wheel type and pivot style when ordering

Part Number	Description
PD5-K01	PD500 Closing Wheel Arm Update Kit - Spindle (CNH Closing Wheel)
PD5-JD-K01	PD500 Closing Wheel Arm Update Kit - Bearing in Arm (JD Closing Wheel)



**AG2150**

**Red E Notched Closing Wheel**

- Unique combination of sidewall crumbling and soil firming
- Angular tooth design helps prevent clogging
- Works in virtually all soil – from sandy to heavy and clay-based
- Provides improved seed trench closure in both conventional and no-till situations



**RECON**

**Recon Blockage & Flow Monitor**

- A blocked run on your seeder can cost time and money. Using acoustic sensors to detect flow variance by section, ReconBlockage instantly alerts you of blocked runs, preventing skips and associated yield loss



**DEC\*00**

**PD500 Atom-Jet Single Shoot Scrapers**

- Strategic carbide placement protects high wear areas
- Trash shield is incorporated into the scraper, saving costs
- Adjustable position to match disc wear



**AG-SS7360**

**AirGuard™ Stainless Steel Seed Brake Kit**

- Fully adjustable — balance the airflow across your seeder using the patented adjustable exhaust port
- Minimize seed damage — the seed brake uses a spiral system to slow seed flow; there are no baffles for the seeds to hit against
- Stainless steel construction with UV protected plastic withstands harsh weather conditions
- Includes bushings to accept additional hose sizes



# Bourgault & Concord/Amity

## Air Drill Parts

**SHOP NOW**



\*Parts compatible with Bourgault Drills



See Chart

## Bourgault & Amity Opener Discs

- Maximize the performance of your Bourgault air seeder with our premium cutting discs, engineered for precise soil penetration, residue management, and extended durability. Available in both regular and notched designs, these discs ensure optimal seed placement and reduced wear, keeping your seeding operation running smoothly in all field conditions

Part Number	Description
RE6004	20-1/2" Bourgault Ingersoll Hi-Hard Opener Disc - Standard Edge
RE3481	21" Red E 30 Point Notched Opener Disc for Bourgault MRB III and 3720 Drills
RE6010	21" Bourgault Notched Opener Disc for 3820 Drills
RE3487RZR	18-5/8" Amity Ingersoll Extended Wear Opener Disc
RE6003RZR	18-5/8" Amity Ingersoll Hi-Hard Opener Disc
RE3298	19" Red E 30-Point Notched Opener Disc for Concord/Amity Drills

\*Parts compatible with Concord/Amity Single-Disc Drill



RE3683

## Amity/Concord Scraper

- A blocked run on your seeder can cost time and money. Using acoustic sensors to detect flow variance by section, ReconBlockage instantly alerts you of blocked runs, preventing skips and associated yield loss



NA-KO1-BRGLT

## Urethane V8 Press Wheel Kit

- Maximizes seed to soil contact
- Long lasting double row ball bearing
- 10" flexible urethane tire significantly extends life versus rubber



See Chart

## Coupling Assembly

- Replaces Flexi-Coil Part #s GD-672A and GD-673

Part Number	Description
QCSS22.5	2-Port Coupling Kit
QCSS32.5	3-Port Coupling Kit
JAS1049A	4-Port Coupling Kit
JAS1044A	5-Port Coupling Kit



JAS0915

## Secondary Distribution Tower "J" Tube

- 2-1/2" outside diameter, all stainless steel construction
- Resistant to wear and corrosion
- Dimples even out the flow of product



M-2500

## Stainless Steel Distributor Head

- All stainless steel construction – resistant to wear and corrosion
- 1" and 1-1/4" inch port options available
- Includes rubber clean-out cap
- 4 port to 12 port options available



RECON

## Recon Blockage & Flow Monitor

- A blocked run on your seeder can cost time and money. Using acoustic sensors to detect flow variance by section, ReconBlockage instantly alerts you of blocked runs, preventing skips and associated yield loss

See Chart

## Gauge Wheel Tires and Assemblies

- Our Heavy-Duty Gauge Wheels are designed to handle the toughest conditions and improve your performance



Part Number	Description
RE6038U	3" Urethane Replacement Tire
RE6032R	3" X 16" Spoked Rubber Gauge Wheel
RE6032U	3" X 16" Spoked Urethane Gauge Wheel
RE6033R	4.5" X 16" Spoked Rubber Gauge Wheel
RE6019R	3" X 16" Steel/Rubber Gauge Wheel, Cast Hub
RE6023R	4.5" X 16" Steel/Rubber Gauge Wheel, Cast Hub



# Horsch Seeding Solutions

from  redE

**SHOP NOW**



\*Parts compatible with Horsch Avatar & Horsch Sprinter

## H20100A

### Horsch Meter Box

- Replaces OEM part number 1503301
- Full Stainless Steel Construction
- Includes stainless slide shutoff to cut product flow from tank
- Fits a wide range of Horsch Air Carts



See Chart

### Horsch Opener Discs

- Maximize the performance of your Horsch air seeder with our premium cutting discs, engineered for precise soil penetration, residue management, and extended durability. Available in both regular and notched designs, these discs ensure optimal seed placement and reduced wear, keeping your seeding operation running smoothly in all field conditions



Part Number	Description
RE6067	19" Ingersoll Hi-Hard Opener Disc - Standard Edge for Horsch Avatar
RE6068	19.5" Red E 30-Point Notched Opener Disc for Horsch Avatar
RE6069	21" Red E 30-Point Notched Opener Disc for Horsch Sprinter

\*Parts compatible with Horsch Avatar & Sprinter





# Planter Solutions

from **redE**

**SHOP NOW**



# Pro-Stitch

**CLOSE THE GAP TO HIGHER YIELDS**

A proven yield advantage with a patented footprint. Pro-Stitch wheels run out of time due to soil pressure, creating the perfect stitch effect while reducing sidewall compaction by fracturing and pushing the seed slot from side to side.



## PSP-K03

### Final Touch Spiked Wheel Inserts

- Includes 1 Final Touch spike wheel insert (wheel halves and bearings not included)
- Ultra long life UHMW Material
- For use on John Deere, Case IH, White, and Kinze Planters



## PSP-K03-FULL

### Final Touch Spiked Closing Wheel Kit

- Effectively stitches the furrow closed while removing air pockets and firming soil to keep moisture in
- Prevents crusting and sidewall compaction
- Ultra long life UHMW material
- For use on John Deere, Case IH, White, and Kinze planters
- Kit option includes 2 Final Touch spike wheel assemblies with bearings and spacers (PSP-K03-FULL)



## PSP-K01

### Pro-Stitch Spiked Closing Wheels

- Includes 1 Final Touch spike wheel insert (wheel halves and bearings not included)
- Ultra long life UHMW Material
- For use on John Deere, Case IH, White, and Kinze Planters



## RE65248

### XP Heavy Duty Disc Assembly

- 3.5mm thick disk blade
- Thicker flange and larger rivets
- High quality 205 double row ball bearing is larger than OEM
- Fits John Deere XP and newer style planters
- Replaces JD P/N: AA65248



See Chart

### Spoked Gauge Wheel

The high quality Spoked Gauge Wheels have large openings to release mud and debris to keep you planting, regardless of the less than ideal conditions

Part Number	Description
RE6032R	3" X 16" Spoked Rubber Gauge Wheel
RE6032U	3" X 16" Spoked Urethane Gauge Wheel
RE6033R	4.5" X 16" Spoked Rubber Gauge Wheel



## RE222\*

### Roller Bearing Parallel Arms

- Upgrade your planter's performance with our field-tested Roller Bearing Parallel Arms. Designed to maintain tightness over 30,000+ acres, these arms eliminate the hassle of worn bushings, and ensure durability and precision in every planting season.

\*Compatible with Kinze 3000/4000 units, John Deere XP and newer models.

\*RE2229 Pictured



## RE2229 & RE22230

### Norseman Gauge Wheel Arm Kit

- Tired of dealing with wear on your planter's gauge wheel arm pivot? This is the solution. Its innovative design, utilizing the industry-standard 5203KYY2 sealed bearing, eliminates wear issues, and requires minimal maintenance. Upgrade for precision planting without the hassle.

RE2229: For John Deere XP and newer models.

RE2230: For Kinze 3000/4000 units.



# Hoe Drill Solutions

from **Red E**

**SHOP NOW**



\*Seed Boots, Spreaders, and Shanks



**SB-\***  
**C-Shank Seed Boots**

- Attaches to the back of the C-shank to place product behind low disturbance sweep
- Note: SB-1 (yellow component) shown. Additional items not included

**SB-4**  
**Edge-on Seed Boot**



- For use with edge-on shanks to place product directly behind low disturbance sweep
- Multiple spreader options to control dispersion of dry product
- Note: SB-4 (yellow part) only. Additional components sold separately

**KEY-1**  
**Key 1 System**



- The KEY 1 system provides low ground disturbance with quick change tips for your 50° shank. 2 different spreader widths

**FLC**  
**C-Shank Converter System**



- Converts C-shank to accept low disturbance chrome sweeps or McKay steel sweeps
- Note: Converter is blue component, does not include C-shank, seed boot or sweep

**UDL**  
**Universal Disc Leveler**



- Adjustable disk angle and width for up to 15" sweeps
- Improves seed depth consistency and furrow closing
- Great upgrade from harrow levelers

**FL-K01-STD**  
**Furrow Tine Leveler**



- Our universal furrow leveler can be fit to any shank and configuration. It provides an economical way to close the furrow behind the last rank on any cultivator or chisel plow

\*Fertilizer Boots, Tubes, and Sweeps



**P20**  
**P20 Fertilizer Tube**

- Rear-swept tube allows deep banding of fertilizer behind banding knife
- 1-1/4" inside diameter (fits standard 1" air seeder hose)
- For use with SB-1 and SB-4 seed boots or MB-2 mounting bracket



**P30**  
**P30 Fertilizer Boot**

- Allows banding of granular fertilizer behind a 2" cultivator spike



**SBS-\***  
**Seed Boot Spreaders**

Farmland spreaders are used with Farmland seed boots to control the distribution of seed and dry fertilizer.

- SBS-1 - 6"-7" spread
- SBS-2 - 9"-10" spread
- SBS-345 - 4"-5" spread
- SBS-4 - 3/4" spread

**PLD**  
**McKay PLD Sweeps**

McKay PLD Sweeps feature parallel wings for extreme low disturbance, leaving behind a smoother field and eliminating the need for harrowing.

- Fits on SB-4 seed boots and FLC converter system
- Available in 3-1/2" and 6" widths
- 1/4" or 5/16" HD thicknesses



**LDC**  
**Low Disturbance Chrome Sweeps**

- 4-5X wear life versus standard sweeps
- Quick change, single bolt removal
- Fits any C-shank with Farmland converter system, all Farmland seed boots and Concord edge-on shanks
- Available in 3-1/2", 5", 7", and 9" widths





# Tillage Solutions

from  redE

**SHOP NOW**



**NEW**



**High Performance**

**Tillage Blades & Discs**

Red E's tillage blades and vertical tillage discs are engineered for durability, soil efficiency, and compatibility with leading equipment brands. Backed by thousands of hours in engineering R&D and real-world testing, our replacement tillage blades deliver the performance farmers demand—at a cost-effective price.

Part Number	Description
99916003	16" 13-Wave, 4-Bolt Coulter
99916001	16" 25-Wave Flute, 5-Bolt Coulter
99920002	20" High-Speed 4-Bolt Disc
9992000*	20" Turbo Vertical Tillage Blade
99920001	20" Notched High-Speed Disc
99922002	22.5" Spherical Wave Disc
99922003	22.75" 5-Bolt Disc
99924001	24.5" Spherical Landoll Disc



**VTC\***

**Vertical Tillage Coulters**

Convert your old chisel plow or heavy duty cultivator into a high-speed vertical tillage machine. Features the industry's only 2" offset to reduce slabbing and improve trash flow.

- Excellent for high-speed spring seed bed preparation and fall residue management
- Breaks down soil compaction layer
- 18" boron steel disks, spaced 7" apart



## ASH-CONV-JD

### AirSeeder Conveyor Hopper

- Compatible with John Deere Air Carts that have a John Deere conveyor
- Easy loading from semi-trailers to air seeders
- Has an orbital motor, poly bearings, and includes hydraulic hoses to hook up to control valves
- Mounts in place of the existing conveyor hopper
- Can pull pin to allow end to swing sideways for clearance to get under cart
- Recommend adding a 35 lb counter weight on top of conveyor for easier maneuvering



## ASH-\*

### AirSeeder Hopper

- Options to fit a 7", 8", or 10" Auger
- Many model options that are compatible with John Deere, Bourgault, Concord, Sunflower, Amity, Morris, Seed Hawk, Horsch Anderson, Ezee-On, and Flexi-Coil Air Carts
- Made from lightweight plastic with a mounted wheel to roll easily into position
- Aids in the mixing and coating of inoculants and seed treatment products
- Reduces cracking of delicate crops by eliminating extra transfer augers
- Easy loading from semi-trailers to the air cart
- No hydraulic hookups
- Mounts in place of the existing hopper
- 1/2" x 1/2" hole fertilizer screen included

NOTE: On John Deere carts, the AirSeeder Hopper does not allow for clearance of the air cart tires to allow cleanout of tanks with the onboard auger. This must be considered before purchasing this product. The exception is a 550-bushel cart or a 430-bushel cart with a block under the back wheel. Case IH/Flexi-coil carts with a swing-down manifold system may also pose a challenge to reaching all the tanks to clean them out. Other manufacturer's carts do not exhibit this restriction to our knowledge.



## RE1152

### American Flag Pole For Ag Equipment

Show your American pride with our durable flag pole that is designed to go on your agriculture equipment. Use it on your tractor, combine auger, or any heavy equipment you want to put a flag on!

- 6-1/2' height that fits a wide range of flag sizes
- Sturdy pole to withstand weather conditions
- 360 Degree swivels keep your flag flying and never gets wrapped up
- Comes with a durable 3 x 5 American flag
- Does not come with bracket attachment
- FREE shipping

## AIRGUARD BPS

### AirGuard™ Blockage Prevention System

AIRGUARD™ Blockage Prevention Systems are the ideal air drill solution to lower tractor oil temperature and reduce humidity, internal buildup, and plugging in the air stream on your air drill to keep product flowing.

- Seed in wet conditions: Relative humidity will drop 50% or more
- Keep blockage sensors clean: Consistent, reliable sensor readings
- Keep the treatment on your seed – Minimize treatment from covering internal components
- Lower oil temperature: 10°C to 20°C / 50°F to 68°F cooler
- Compatible with most air carts



## CAM-TB\*-\*T

### Overview Camera Kit

- Includes all harnesses, display monitor, cameras inside tanks, and back up camera
- Cameras feature a watertight camera body and 120° and 170° camera lenses
- Connectors at each hitch point
- Cameras for inside each tank of your air cart
- 7-inch quad monitor that is LED-backlit, allowing you to see your image clearly from any angle
- 1-year camera and monitor warranty





# **Red E Ag**

 **Subscribe to our YouTube Channel!**

Search "Red E Ag" to explore the latest tips and tricks on rebuilding your air seeder! New videos drop weekly, so stay up to date with Red E's latest happenings and get an exclusive behind-the-scenes look at the company!

**Watch Now!**



**FEATURED ON:**

# Red E Apparel Line

**NEW DESIGNS!**



Represent Red E with a stylish t-shirt, sweatshirt, and more! We have partnered with Farm Focused, a brand that works to provide merchandise for our customers that value hard work, family, pride, and quality.

**SHOP NOW:**



# The redE Promise

## **Built to Last. Backed by Service.**

At Red E, we take pride in delivering high-quality, durable parts and exceptional service—all with a strong commitment to your complete satisfaction.

You deserve peace of mind. That's why our standard warranty covers material defects for one full calendar year from the date of purchase. Some products are also backed by extended warranties.

To view our full warranty details or submit a claim, simply scan the QR code or visit [www.RedE-Ag.com](http://www.RedE-Ag.com).

**LEARN MORE**





 701-205-1485

 Sales@GoRedE.com

 RedE-Ag.com

 2700 7th Ave. N.  
Fargo, ND 58102

 @GoRedE\_Ag

 @GoRedE\_Ag

 @GoRedE\_Ag

 @RedEAg

© 2025-2026 Red E LLC

